

L Number	Hits	Search Text	DB	Time stamp
-	0	@ad<= "20001215" and (tap adj circuit) and impedance and amplifier and capacitor and resistor and (LIU or (line interface unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:31
-	0	@ad<=20001215 and (tap adj circuit) and impedance and amplifier and capacitor and resistor and (LIU or (line interface unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:34
-	0	@ad<=20001215 and (tap same impedance) and amplifier and capacitor and resistor and (LIU or (line interface unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:34
-	0	@ad<=20001215 and (tap same impedance) and amplifier and capacitor and resistor and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:32
-	1	@ad<=20001215 and (tap same impedance) and amplifier and capacitor and resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:41
-	394	@ad<=20001215 and (tap same impedance) and amplifier and (LIU or (line interface unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:40
-	20	@ad<=20001215 and (tap adj circuit) and impedance and amplifier and (LIU or (line interface unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:39
-	4	@ad<=20001215 and (tap same impedance) and amplifier and (LIU or (line adj interface adj unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:36
-	2	@ad<=20001215 and (tap adj circuit) and impedance and amplifier and (LIU or (line adj interface adj unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:39
-	4	@ad<=20001215 and (tap same impedance) and amplifier and (LIU or (line adj interface adj unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:40
-	4	@ad<=20001215 and (tap same impedance) and amplifier and (LIU or (line adj interface adj unit)) and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:40
-	4	@ad<=20001215 and tap and impedance and amplifier and capacitor and resistor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:42
-	1115	@ad<=20001215 and tap and impedance and amplif\$3 and (transmission adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:42
-	0	@ad<=20001215 and tap and impedance and amplif\$3 and (transmission adj line) and 375/215.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:43

-	141	@ad<=20001215 and tap and impedance and amplif\$3 and (transmission adj line) and 375/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:43
-	4	@ad<=20001215 and tap and impedance and amplif\$3 and (transmission adj line) and (LIU or (line adj interface adj unit)) and 375/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:46
-	21	@ad<=20001215 and tap and impedance and amplif\$3 and (transmission adj line) and (LIU or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 08:52
-	21	@ad<=20001215 and tap and impedance and amplif\$3 and (transmission adj line) and ("LIU" or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:29
-	28	@ad<=20001215 and tap and impedance and amplif\$3 and ((transmission or telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:33
-	10	@ad<=20001215 and tap and impedance and amplif\$3 and ((telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:40
-	948	@ad<=20001215 and (impedance with match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:04
-	0	@ad<=20001215 and (tap adj (circuit or stage)) and (impedance with match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:41
-	0	@ad<=20001215 and (tap with (circuit or stage)) and (impedance with match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 09:41
-	21	@ad<=20001215 and (impedance with match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:20
-	0	@ad<=20001215 and (impedance with match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:21
-	0	@ad<=20001215 and (impedance with match\$3) and ((telephone or "T1" or "E1") adj line) and ("LIU" or (line adj interface adj unit)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:21
-	1	@ad<=20001215 and (impedance with match\$3) and ("LIU" or (line adj interface adj unit)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:22
-	157	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:23

-	1	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti. and (impedance with match\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:22
-	0	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti. and 375/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:22
-	4	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti. and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:23
-	4	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti. and ("T1" or "E1")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:25
-	3	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti. and amplif\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:30
-	2	("5105461").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:30
-	157	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:32
-	6	@ad<=20001215 and ("LIU" or (line adj interface adj unit)).ti. and (resistor or capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 10:33
-	1	1993-325094.NRAN.	DERWENT	2004/02/02 10:35
-	1	1993-325094.NRAN.	DERWENT	2004/02/02 10:35
-	1	1993-325094.NRAN.	DERWENT	2004/02/02 10:35
-	695	@ad<=20001215 and (impedance adj match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:09
-	67	@ad<=20001215 and (impedance adj match\$3 adj circuit) and amplif\$3 and ((telephone or "T1" or "E1") adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:07
-	2	@ad<=20001215 and (impedance adj match\$3 adj circuit).ti. and amplif\$3 and ((telephone or "T1" or "E1") adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:10
-	2	("4461929").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:08
-	9	@ad<=20001215 and (impedance adj match\$3) and amplif\$3 and ((telephone or "T1" or "E1") adj line) and (line adj interface adj unit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:09

-	9	@ad<=20001215 and (impedance adj match\$3).ti. and amplif\$3 and ((telephone or "T1" or "E1") adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:15
-	2	("4538032").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:13
-	2	("5333192").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 11:15
-	2	("4864609").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 12:22
-	2	("4764956").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 12:23
-	2	("4571460").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 12:23
-	4	("4103112").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 12:57
-	8	@ad<=20001215 and (impedance adj match\$3 adj circuit) and amplif\$3 and (balanced adj line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:12
-	220	@ad<=20001215 and (impedance adj match\$3 adj circuit) and (amplif\$3 with feedback)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:13
-	44	@ad<=20001215 and (impedance adj match\$3 adj circuit) and (amplif\$3 with feedback with capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:20
-	3	@ad<=20001215 and (impedance adj match\$3).ti. and (amplif\$3 with feedback with capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:40
-	2	("6205218").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:37
-	401	@ad<=20001215 and (operational adj amplif\$3).ti. and (feedback with capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:41
-	6015	@ad<=20001215 and (operational adj amplifier).ti. and (amplifier with feedback with capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:41

-	363	@ad<=20001215 and (operational adj amplifier).ti. and (amplifier with feedback with capacitor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:41
-	110	@ad<=20001215 and (operational adj amplifier).ti. and (amplifier with feedback with capacitor with resistor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 15:42
-	30	@ad<=20001215 and (operational adj amplifier).ti. and (amplifier with feedback with capacitor with resistor) and impedance	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:57
-	466798	@ad<=20001215 and (capacitor).ti and (amplifier with feedback with capacitor with resistor) an	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:58
-	445090	@ad<=20001215 and (capacitor).ti	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:58
-	445090	@ad<=20001215 and (capacitor).ti and seri\$3 and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:59
-	445090	@ad<=20001215 and (capacitor).ti and seri\$3 and parallel and 375/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:59
-	0	@ad<=20001215 and capacitor.ti and seri\$3 and parallel and 375/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:59
-	0	@ad<=20001215 and capacitor.ti and seri\$3 and parallel	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 16:59
-	0	@ad<=20001215 and capacitor.ti	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:00
-	0	@ad<=20001215 and capacitor\$1.ti	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/02 17:00